



J. Serb. Chem. Soc. 77 (8) S144–S147 (2012)

Journal of the Serbian Chemical Society

JSCS@tmf.bg.ac.rs • www.shd.org.rs/JSCS

Supplementary material

SUPPLEMENTARY MATERIAL TO

Phase composition of Bi₂O₃ specimens doped with Ti, Zr and Hf

DEJAN POLETI^{1*}, LJILJANA KARANOVIĆ², MIODRAG ZDUJIĆ³
and ČEDOMIR JOVALEKIĆ⁴

¹Department of General and Inorganic Chemistry, Faculty of Technology and Metallurgy,
University of Belgrade, Karnegijeva 4, 11000 Belgrade, Serbia, ²Laboratory of Crystallography,
Faculty of Mining and Geology, University of Belgrade, Dušina 7, 11000 Belgrade,
Serbia, ³Institute of Technical Sciences of the Serbian Academy of Science and Arts, Knez
Mihailova 35, 11000 Belgrade, Serbia and ⁴Institute for Multidisciplinary Research,
Kneza Višeslava 1a, 11000 Belgrade, Serbia

J. Serb. Chem. Soc. 77 (8) (2012) 1091–1096

*Corresponding author. E-mail: dejan@tmf.bg.ac.rs






Fig. S1. XRPD Patterns for Bi₂O₃ specimens doped with 2, 5 and 10 mol % of TiO₂ (only strong reflection are indexed). Characteristic parts of the patterns are enlarged in the insets.




Fig. S2. XRPD Patterns for Bi_2O_3 specimens doped with 2, 5 and 10 mol % of ZrO_2 (only strong reflection are indexed).




Fig. S3. XRPD Patterns for Bi_2O_3 specimens doped with 2, 5 and 10 mol % of HfO_2 (only strong reflection are indexed). Characteristic parts of the patterns are enlarged in the insets.